

A

INDEX MAPS.

T. 36 N. R. 7 W. 2nd Mer.

		8		7		7		6		5		5	
Meanders—35	11	6	35	5	28	4	24	3	19	2	15	1	5
		34		34		28		23		19		15	
	10	7	34	8	27	9	23	10	18	11	14	12	4
		33		33		27		23		18		14	
	10	18	33	17	27	16	22	15	18	14	13	13	4
		32		32		26		22		17		13	
	9	19	31	20	26	21	21	22	17	23	13	24	3
		31		30		25		21		17		12	
	9	30	30	29	25	28	21	27	16	26	12	25	3
		30		29		25		20		16		12	
8		31	29	32	24	33	20	34	15	35	12	36	3
		2		2		2		1		1		1	

T. 37 N. R. 7 W. 2nd Mer.

Meanders—53, 58		6	5	4	3	2	1
		7	8	9	10	11	12
		18	17	16	15	14	13
		19	20	21	22	23	24
		Lake Michigan.					
		30	29	28	27	26	25
							46
							48
							49
							50
48		31	32	33	34	35	36
47		46	57	45	57	44	44
							43

old boundary.

The figures on the lines refer to the page.

Township 37 North, Range 7 West 2nd Mer, Ind.^a 43

C. S.

South Boundary,

Var. 57° 55' E,

West On S. side of Sec. 36
10.00 Enter a marsh
40.00 Set g. Sec. post in marsh
where raise a mound
60.79 To Left shore of the river Styx & set post
where raise a mound
64.75 Over River & set post on Right bank &
a mark 11 in. dia. bay N 59° W 72 th. dish,
79.00 To Right bank of river Styx set post
where raise a mound
80.00 Over River & set post on Left bank
for meander post & cov. Sec. 35 & 36,
where raise a mound (-graph
Land mostly marsh a good growth of

West On S. side of Sec. 35
5.50 Left bank of river Styx & set post
where raise a mound
7.16 To Right bank & set post from which
where raise a mound
12.23 " Right shore of River Styx in low
marsh, set post in water too deep for mound
13.73 Over river & set post & raise a mound
24.50 Left shore of river Styx & set post & water
too deep to raise a mound
26.41 Over River & set post on Right bank
where raise a mound
30.50 To Right bank of River Styx set post
in water too deep for a mound
32.36 Over river & set post on Left bank
where raise a mound
36.50 Left shore of River, set post in water
Too deep for a mound
38.37 Over River & set post on Right bank

T. 37 N. R. 7 W. 2nd Mer. Ind.

- 60.25 Where raise a mound
 40.00 Set gr. sec. post from which
 a W. Oak 20 in. dia. bear N 45 $\frac{1}{2}$ W 490 lbs,
 & where raise a mound
 53.50 Leave mark & come to sand hills
 61.50 Entered a swamp & small points of dry land
 66.67 a W. Oak 9 in. diam,
 79.00 Leave the swamp
 80.00 Set post cor. sec. 34 & 35 from which
 a Y. Oak 14 in. dia. bear N 76 E 28 lbs. dia,
 & a W. Oak 12 " " " N 68 W 28 " "
 Some points of land good grass land
 other parts the deepest kind of marsh
 West of marsh sand hills & small
 worthless marshes. hills covered with small
 Pines & Y. Oaks, &c

-
- West On S. side of sec. 34
 20.23 a W. Oak 11 in. diam,
 22.12 a Pine 10 " "
 40.00 Set gr. sec. post from which
 a Y. Oak 14 in. dia. bear N 80 E 24 lbs. dia,
 & a Do. 13 " " " N 70 W 21 " "
 46.45 a Pine 10 " "
 47.00 Entered a marsh
 63.00 Leave the Do.
 68.00 Entered a pond or marsh
 80.00 Cor. sec. 33 & 34 in marsh, inaccessibles
 a Y. Oak 15 in. dia. bear N $\frac{1}{2}$ W 328 lbs.
 Land &c. similar to last part of last
 mile. viz. Sand ridges & small marshes

-
- West On S. side of sec. 33.
 5.00 Leave marsh or pond
 9.50 Entered a marsh
 40.00 Set gr. sec. post in marsh

T. 37 N. R. 7 W. 3rd Mer. Ind. " 45

6.50 a W. Oak 6 in. dia. bears North 162 lbs. dia,
 & a Do. 5 " " " N 6 3/4 W 167 " "

44.50 Leave the marsh

63.00 To marshy pond & set post

80.00 Corner sec. 32 & 33 in Do. inaccessible
 Land mostly marsh & some fine sand dunes
 note The pond in which stand the corn
 perhaps should be meandered as it is
 probably 3 or 4 miles long running E. & E.,
 & N. S. W. water shoal - some places
 grass growing nearly across it. I was not
 aware of its extent when on this side or
 should perhaps have taken bearings,

West On S. side of Sec. 32

14.53 Leave pond or Lake & set post from wh.
 a W. Oak 12 in. dia. bears N 40 W 49 lbs. dia,
 & a Pine 8 " " " N 5 1/2 E 79 " "

22.50 Enter a pond

37.50 Leave the Do.

37.40 a W. Oak 18 in. diam.

40.00 Set gr. rec. post from which
 a W. Oak 11 in. dia. bears N 59 E 34 lbs. dia,
 & a Pine 6 " " " N 4 W 62 " "

49.27 a Y. Oak 16 " "

69.50 Enter a pond

72.50 Leave the Do.

78.57 a Y. Oak 8 in. diam.

79.30 Enter a pond

80.00 Cor. sec. 31 & 32 in pond inaccessible
 a Pine 14 in. dia. bears S 84 1/2 E 82 lbs. dia,
 & a Do. 16 " " " N 85 1/2 E 140 " "

Land a succession of sand knobby &
 small ponds, dry part covered with
 small Pines & Y. Oaks, &

West On South side of sec. 31

- 7.00 Leave pond
 20.29 a. Y. Oak 8 in. diam.
 21.00 Entered a pond { narrow & grown
 36.00 Leave the Do. { up with grass & flags
 40.00 Set q^r. sec. post from which
 a Y. Oak 18 in. dia. bears N 71 $\frac{1}{2}$ E 87 $\frac{1}{2}$ ft. dist.
 & a Do. 4 " " " N 10 W 44 " "
 57.63 a Y. Oak 11 " "
 62.06 " Do. 14 " "
 64.50 Entered a pond
 72.00 Leave the Do.
 73.00 Enter a Do.
 73.42 Intersect W. boundary. 5.70.71 in pond
 Set post cor. Towns 36 & 37 N. R. 7 & 8 W.
 a W. Oak 14 in. dia. bears S 1 $\frac{1}{2}$ W 41 $\frac{1}{2}$ ft. dist.
 & a Do. 18 " " " S 4 E 40 " "
 Land & Co. Same as on last mile,
 March 1st 2nd & 3rd 1834.
 Surveyed by Robert Clark D. Sur.

East Boundary.

Var. 5 $\frac{1}{2}$ 40 E,

North On E. side of sec. 36

- 37.00 Entered a marsh
 40.00 Set q^r. sec. post, in marsh
 water too deep for a mound
 49.60 Left shore of river & set post
 where raise a mound
 51.93 Over River & set post on Right shore
 course S. W. where raise a mound
 55.76 Intersect S. boundary of 10 mile strip
 at post at intersection of Range line
 from the N. Land mostly marsh
 on some parts a good growth of grass
 March 1st 1834 Surveyed by R. Clark Jr. D. S.

T. 37 N. R. 7 W. 2nd Mer, Ind, 47

South On E. side of sec. 36

Begin at post cor. sec. 35 & 36 from wh,
a Y. Oak 14 in. diam. bears N 23° W 29 1/4 lbs. dist,
+ a Do. 18 " " " S 48° W 50 " "

18.70 a Y. Oak 18 " "

22.00 Entered a marsh

31.86 To Indian boundary 54 chs. 74 lbs. E.
of mile post N. 7. Set post from
where. raise a mound
Land 2nd rate Timbered Oak &c,
N. B. Mile post N. 8 could not be found

North On E. side of sec. 25.

20.50 To a small lake & set post from wh,
— bears N 71° E 10.00 lbs. dist,
— " N 75° W 9.80 " "

26.31 Leave the Lake

30.50 a Yellow Oak 10 in. diam,

40.00 Set gr. sec. post from which
a Y. Oak 6 in. diam. bears S 32° E 14 1/4 lbs. dist,
+ a Do. 7 " " " S 68° W 10 " "

59.61 a Spruce 5 " "

66.28 To Lake Michigan & set post
a Pine 8 in. diam. bears S 18° E 44 1/2 lbs. dist,
+ aspen 7 " " " S 36° W 41 1/2 " "

Land fully 3rd rate Oak, Pine &c,
Surveyed by
April 30. 1831. Calvin Britain D. S.

West Boundary.

Var. 7° 10' E.

North On E. side sec. 36 T. 37 N. R. 8 W,

9.21 a Y. Oak 14 in. diam,

.50 Leave pond

31.00 Right bank of Grand Kalamazoo
River, navigable from here up stream.

T. 37 N. R. 7 W. 2nd Mer. Ind.

6. L. to the River Stye, but not down to the Lake. Set post from which a Y. Oak 14 in. dia. bears S 72 E 55 ths. dist. & a Pine 6 " " " S 75 W 10 " " Channel about 150 ths. wide & on N. shore is an inaccessible marsh at this time & set no post

40.00 Set q. sec. post in marsh. Bearings,

41.00 Leave marsh. For q. sec. cor. below a Pine 8 in. dia. bears N 14 E 92 ths. dist. & a Willow 6 in. dia. " N 12 W 91 " "

55.50 To South boundary of ten mile strip at Town corner, Land S. of river rolling barrens & sandy Oak &c, North of Marsh driving moveable sand some fine cottonwoods & scrub Pines March 6th 1834. Surveyed by Robt. Clark Jr. Dep. Sur.

South On E. side of sec. 36 T. 37. R. 8 W. 26.26 Leave Lake Michigan & set post from which an aspen 14 in. dia. bears S 34 E 70 379 ths. dist. & a Do. 9 " " " S 71 E 4.80 " " 32.09 Indian boundary 19.30 West of mile post N. 2. where set post from which an aspen 14 in. dia. bears N 53 W 369 ths. dist. & a Do. 9 " " " N 73 E 673 " " Land a sand hill. April 20. 1830. Surveyed by Calvin Britain D. S.

Subdivision

West Between sections 35 & 36

19.38 a W. Oak 14 in. dia.

36.00 Naked sand hill

40.00 Set q. sec. post from which a Pine 7 in. dia. bears N 89 E 413 ths.

S. 37 N. R. 7 W. 2nd Mer. Ind.^a 49

6.26 an Aspen 5 in. dia. bears S 27 $\frac{1}{2}$ E 310 lbs. dia.
 65.00 Entered Pine timber
 80.00 Set post cor. sec. 25. 26. 35 & 36 from wh.
 a Pine 14 in. dia. bears S 14 $\frac{1}{2}$ W. 23 lbs. dia.
 & a Cedar 15 " " " N 19 E 71 " "

South Between sections 35 & 36

4.50 a Pine 10 in. diam,
 6.50 N. shore of a lake & set post from wh.
 a Y. Oak 12 in. dia. bears N 71 W 33 lbs. dia.
 & a Do. 9 " " " " N 33 E 57 " "
 20.30 Over lake & set post on S. shore from which
 a Y. Oak 16 in. dia. bears S 26 W 76 lbs. dia.
 & a W. Oak 12 " " " S 31 E 38 " "
 25.29 a small lake Y. Oak corner tree,
 32.14 To Indian boundary, cor. sec. 35 & 36
 in lake, Land covered with hills & lakes
 Timbered Oak & , —

North Between sections 25 & 26

18.00 Naked sand hills
 40.00 Set gr. sec. post from which
 an Aspen 6 in. dia. bears S 36 W 210 lbs.
 & a Do. 6 " " " S 55 E —
 41.26 To Lake Michigan set post from wh.
 an Aspen 7 in. dia. bears S 46 E 644 lbs. dia.
 & a Do. 6 " " " S 24 W 746 " "
 Land &c. same as on last mile,
 Monday April 19th 1830.

West Between sections 26 & 35

35.00 a Pine 18 in. diam,
 40.00 Set gr. sec. post from which
 a Y. Oak 13 in. dia. bears N 49 W 38 lbs.
 & a Pine 6 " " " S 74 $\frac{1}{2}$ E 57 "
 57.87 a Pine 16 " "

T. 37 N. R. 7 W. 2nd Mer. Ind.

80.00 Set post cor. sec. 26, 27, 34 & 35
 a Pine 13 in. dia, bears N 79 E 55 th. dist,
 & a Y. Oak 17 " " " S 34 W 50 " "
 Land 3^d rate sand hills Pine & Oak &c,

South Between sections 34 & 35

18.12 a Pine 34 in. diam,
 23.66 Set post on N. shore of a small lake
 a Pine 12 in. dia, bears N 35 E 33 th. dist,
 & a Do. 11 " " " N 31 W 26 " "
 32.28 Intersect old Indian boundary in lake
 Land hilly 3^d rate Pine Oak &c,

North Between sections 26 & 27

10.30 a Pine 8 in. diam,
 19.78 To Lake Michigan & set post from wh,
 an Aspen 7 in. diam. bears S 13 E W 480 th. dist,
 & a Do. 9 " " " S 64 E 578 " "
 Land 3^d rate sand hills. Timber is
 Pine Aspen &c. April 19th 1830,

West Between sections 27 & 34

11.10 To a Pine 13 in. diam,
 40.00 Set q^r. sec. post from which
 a Pine 16 in. dia, bears S 40 E 86 th. dist,
 & a R. cedar 8 " " " N 46 W 78 " "
 75.43 a Pine 10 " "
 80.00 Set post cor. sec. 27, 28, 33 & 34 from wh,
 a Pine 15 in. dia, bears N 80 E 70 th. dist,
 & a Sapras 17 " " " S 39 E 27 " "
 Land 3^d rate consisting of sand hills
 separated by narrow & deep vales Pine
 Oak Cedar. Mud. G^r. Juniper &c,

South Between sections 33 & 34

8.00 Enter a pond

- 12.00 Leave the pond
 13.27 a Pine 12 in. diam,
 32.66 Intersect Indian boundary & set post
 a Pine 24 in. dia, bears N 42 E 44 lks. dist,
 a W. Oak 10 " " " N 48 W 15 " "
 (No description given.)

- North Between sections 27 & 28
 3.50 To Lake Michigan & set post
 a Pine 16 in. dia, bears S 39 E 350 lks. dist,
 & a Do. 6 " " " S 19 E W 350 " "
 Naked sandy land

- West Between sections 28 & 33,
 20.50 Lake Michigan & set post from wh,
 a Pine 10 in. dia, bears S 26 E 356 lks. dist,
 & a Do. 8 " " " S 27 E 424 " "
 Land &c. same as last,

- South Between sections 32 & 33
 9.42 Leave Lake Michigan at post
 a Pine 8 in. dia, bears S 3 W 328 lks. dist,
 & a Do. 10 " " " S 28 E 355 " "
 23.00 Enter a swamp & pond
 32.62 Intersect Indian boundary set post
 a Pine 6 in. dia, bears N 18 E 197 lks. dist,
 & a Do. 11 " " " N 5 W 300 " "
 Land 3? rate hills & swamps Pine & Oak,

- South Between sections 31 & 32
 20.67 Leave lake Michigan & Enter Calumet
 river at mouth.
 26.75 Leave River & set post from which
 a Pine 6 in. dia, bears N 46 W 74 lks. dist,
 & a Do. 7 " " " S 47 E 50 " "
 27.50 Enter a swamp & pond

T. 37 N. R. 7 W. 2nd New. Ind.

32.47 To Indian boundary & set post
 Sycamore 14 in. dia. head S 63 E 78 lbs. dia.
 & a Do. 20 " " " S 47 W 64 " "
 Land a swamp 3^d rate. No timber.
 Tuesday April 20th 1830.

Meanders of a lake in Sec. 35 & 36 Begin on N. side between sec. 35 & 36, Remarks, Cross Cr. L.	
S 53 W 13.00	
S 64 E 6.00	
S 28 W 5.50	
S 83 W 17.00	
S 65 W 11.00	
S 88 E 20.00	
N 54 E 16.38	To line between sec. 35 & 36
East 8.50	
N 37 E 27.70	a lofty pine at foot of sand hill
S 85 W 30.45	To place of beginning Apr 19,
Meanders of a lake on Indian boundary, in sec. 35 & 36 Begin at line betw ⁿ sec. 35 & 34 To lake at a Y. Oak 11 in. dia. etc.	
East 73.95	
N 77 W 4.50	
N 58 E 10.69	To line between sec. 35 & 36
East 7.50	
N 78 E 11.50	
S 23 W 7.50	
S 43 W 3.30	To Indian boundary, a W. Oak 20 in.
East 66.78	To line betw ⁿ sec. 31 & 36,

Course	6.25	Meanders of a lake on Indian boundary. Begin at post on N. side of lake in line between sec. 34 & 35
East	37.94	To lake at a Y. Oak 13 in. dia,
N80 E	8.00	
S84 E	9.00	
S41 E	16	Indian boundary,
East	On Indian boundary, 23.57	To line between sec. 35 & 36,

		Meanders of a lake on Indian boundary. Begin at post on 2 nd boundary, cor. sec. 33 & 34, thence
East	43.61.	On Ind ⁿ boundary. To Lake - at a W. Oak 24 in. diam,
N15 E	3.00	
N88 E	3.50	
S42 E	3.50	
N71 E	13.00	
N86 E	8.50	
N40 E	5.00	
S68 E	3.00	
N71 E	3.66	To line between sec. 34 & 35

N71 E	6.00	
S87 E	8.50	
S25 E	6.00	
N81 E	8.00	
S5 E	2.50	
S68 W	6.00	
S66 W	4.57	To Indian boundary,
East	61.57	To line between sec. 35 & 36.

Meanders of Callum river
Begin at W. post on Indian boundary, 11.97 West from post

T. 37 N. R. 7 W. 2nd Mer. Ind.

Course C.L. N16E 2.00 N84E 5.50 S30E 2.90 East 3.93	corner Range 6 & 7. thence up river - 83 lks. wide. To Indian boundary on Do. Do. The above post on Calhoun has no bearings. river impassible
N24E 3.50 N46E 3.50 N87E 2.76	Meanders of Calhoun river at E. post on S. side of sec. 31. West 6.70. from cor. sec. 31 & 32 To line between sec. 31 & 32
N45E 5.00 N50W 3.95	To Lake Michigan, From the last post a Poplar 5 S 61 E 65 lks. dist, Pine 8 N 39 E 150 " "
N29E 4.00 N22E 5.00 N85E 4.00 N50W 4.50	Begin at W. post on S. side of sec. 31. West 167. lks. from E. post To Lake Michigan, a Pine 12 N 83 E 43 lks. dist, & a Do 6 N 47 W 72 " "
N80E 21.06	Meanders of Lake Michigan Begin at line between sec. 28 & 33 thence Eastwardly To line between sec. 27 & 28,

T. 37 N. R. 7 W. 2nd Mer, Ind. 55

Comm. C. L.	Melander of lake cont. -
N 78 $\frac{1}{2}$ E 81.10	To line between sec. 26 & 27
N 76 E 45.00	
N 73 $\frac{1}{2}$ E 36.22	To line between sec. 25 & 26
N 72 $\frac{1}{2}$ E 83.32	To line between sec. 25 & 30.
	Begin at post cor. sec. 28 & 33
S 81 W 60.25	To line between sec. 32 & 33
S 82 W 80.80	To line between sec. 31 & 32
	April 21 st 1830.
S 86 W 80.80	To post in W. Boundary

I do hereby certify that I commenced the survey of T. 37 N. Range 7 West 2nd Mer. in the state of Indiana on Monday April 19th & completed the same on Wednesday April 21st 1830. That the foregoing are correct & original field notes of same.

Calvin Brittain, Dep. Sur.

Subdivision. (Cont^d -)

North From corner of sec. 35 & 36. in mound.
 .81 Right bank of Calumic River set post in water
 25.00 Leave Calumic marsh & rise sand hill,
 28.63 a W. Oak 6 in. diam.
 34.50 Entered marsh water 1 ft. deep
 43.00 Leave Do.
 55.25 Intersect impassible marsh & set post
 a W. Oak 10 in. dia. bears S 66 $\frac{1}{2}$ E 94 $\frac{1}{2}$ lbs,
 & a Do. 12 " " " S 60 W 56 " dia,
 55.84 Corner in N. boundy. in pond. impassible
 S $\frac{1}{2}$ Calumic marsh under water
 N $\frac{1}{2}$ broken poor land

T. 37 N. R. 7 W. 2nd New. Ind.

South Correct line S.

15.84 Set of sec. post in marsh. water 1 ft. deep
55.84 Sec. corner,

North Between sections 34 & 35

49.00 Intersect long marshy lake & set post
a W. Oak 14 in. dia. bears N 88 W 29 th. dist.
& a Do. 12 " " " N 74 E 16 " "

55.92 Corner in marshy lake on N. boundary,
unacceptable sand hills, very poor land
dwarfish growth of Oak & Pine.

South Correct line between sec. 34 & 35

15.92 Set of sec. post from which
a Y. Oak 4 in. dia. bears S 51 W 25 th. dist.
& a Do. 5 " " " S 63 1/2 E 12 " "

55.92 Sec. corner,

North Between sections 33 & 34

3.28 From margin of unproductive marsh

17.64 Intersect Long lake & set post
a Y. Oak 4 in. dia. bears S 60 E 19 th. dist.
& a W. Oak 5 " " " S 40 W 46 " "

32.89 across Lake. (By observation)

56.00 Intersect N. boundary, 5 ths. W. of post
very poor broken sandy soil Pine & Oak.

South Correct line between sec. 33 & 34

16.00 Set of sec. post from which
a W. Oak 10 in. dia. bears S 52 W 57 th. dist.
& a Do. 14 " " " S 52 E 35 " "

33.11 Set post on N. margin of long lake
a Pine 34 in. dia. bears N 72 W 27 th. dist.
& a Do. 12 " " " N 50 E 84 " "

56.00 To Sec. corner,

S. 37 N. R. 7 W. 2nd Mer. Ind. ⁵⁷

North Between Sections 32 & 33,

Begin at meander post on W. side of Long lake & S. side of sec. 32. being 14.50 W. from cor. sec. 32 & 33 thence North 8.00 thence E. 14.50 to sec. line N. side of lake 56.18 Intersect N. boundary 72 lks. W. of post. Broken poor sand hills interspersed with marshes & small lakes ~

South Correct line between sec. 32 & 33,

3.50 a Y. Oak 8 in. diam,
16.18 a W. Pine 24 " " for q^r. sec. cor. two,
48.18 Set post on N. side of Long lake fr. wh.
a Pine 8 in. dia. bears N 54 E 17 lks. dist,
& a Do. 6 " " " N 16 E 7 " "
56.18 Sec. cor. in Lake, inaccessible.

North Between Sections 31 & 32

Begin on Town line, S. side of sec. 32
3.00 East of cor. sec. 31 & 32 thence North
2.50 thence offset W. 3.00. to line betw. sec. 31 & 32
on N. margin of Lake.
56.40 Intersect N. boundary. 5 lks. W. of post
Sand same as on last line.

South Correct line between sec. 31 & 32

16.40 Set q^r. sec. post from which
a Y. Oak 10 in. dia. bears N 16 E 33 lks. dist,
& a Do. 14 " " " S 63 1/2 E 31 " "
56.40 Sec. corner, inaccessible,

The face of the country here appears as if nature
by some powerful convulsion, had torn the
earth asunder & thrown it up into sand
peaks. leaving the cavities to be filled up
with lakes & marshes. ~

P. 37 N. R. 7 W. 2nd Mer. Ind^a,

Melander of Calumet River. Right bank
Up stream. Begin at post on line between
Sec. 35 & 36 thence,

Course	C. L.	Remarks
S10E	5.61	To post on Town line,
23	—	(See page 62.)
		Begin at post in N. boundary,
		East of bend
S8E	6.00	
N63E	4.70	To post in E. boundary.
<hr/>		
		Left bank Down stream
		Begin at post in E. boundary,
		In Sec. 36
S52W	5.00	
N35W	7.00	
N20E	3.60	To post in — boundary.
N75	23	(See page 63.)
		Right Bank Down stream
		In Sec. 35
N11W	5.00	
N60E	8.00	
S27E	6.00	
S14E	3.73	To post in town line
<hr/>		
N30W	5.00	
N35E	5.00	
S86E	7.00	
S26E	5.00	
S76E	4.00	
S11E	3.66	To post in Town line
<hr/>		
N30W	6.00	
N20E	9.00	
S79E	4.00	
S23E	8.00	To post on line between Sec. 35 & 36
<hr/>		
		Left Bank Up stream

Course	6.5	Meander of Calumie. cont. - Left bank. Up stream, Begin at cor. sec. 35 & 36, in T. line, In sec. 35
N 28 W	6.00	
S 24 W	5.70	To post on Town line,
N 40 W	3.00	
N 64 W	8.00	
S 80 W	4.00	
South	2.00	
S 45 E	3.87	To post in Town line
N 23 W	5.00	
N 38 W	3.00	
S 9 W	2.76	To post in Town line South Boundry, of Township,
N 19 E	2.00	Meanders of Calumie River in Sec. 36. Old survey Begin at meander post on South boundry, of 10 mile purchase thence on Right bank of River, up stream In sec. 36
N 72 E	6.00	
S 24 E	4.16	To post on Boundary line E. side of bend of River,
N 59 W	2.00	Begin at meander post on S. boundry, of 10 mile strip. E. side of bend. Left bank, down stream
S 62 1/2 W	2.18	To meand. post in S. boundry, of 10 mile strip,
		Left bank of Calumie up stream

T. 37 N. R. 7 W. 2nd Mer. Ind^a,

Courte C. L. Meanders of Calumic River,
Left bank. Up stream
Begin at meand. post on S. boundary
of 10 mile strip. thence

S 23 W 2.00

In sec. 31

S 47 W 2.00

S 67 W 16.50

N 36 W 1.00

S 76 W 3.00

N 74 W 3.00

S 58 W 4.00

N 77 W 9.00

S 82 W 17.00

S 64 W 15.00

S 58 W 2.00

S 7 W 1.70

To gr. sec. post on Range line
in edge of Calumic marsh

Right bank. Down stream
From meand. post in Range line
In sec. 31

S 71 E 2.00

N 65 E 4.00

N 17 E 4.00

N 85 E 12.00

N 73 E 9.00

East 4.00

N 81 E 8.00

S 86 E 7.00

S 88 E 6.00

N 72 E 3.00

East 6.00

N 53 E 6.00

N 41 E 4.00

N 7 E 5.00

N 40 W 2.00

To meander post on N. boundary
of 10 mile strip

Course Co. L.	Meanders of small Marsh lake in Sec. 35 & 36 Begin at W. Oak corner in S. boundy, of 10 mile strip E. side of marsh In Sec 36
S 72 W 10.00	
N 61 W 4.50	
N 82 W .65	To meand. post on line between, Sec. 35 & 36,
N 80 W 4.34	In sec. 35. S. Y. Oak corner in S. boundy. of 10 mile strip,
	Thence on S. boundy. of 10 mile strip. West 17.52. to E. side of small marsh lake & set meand. post, a Y. Oak 20 S 7 W 14 - no other,
S 39 W 4.00	
S 84 W 4.00	
N 71 W 4.00	
N 83 W 2.00	
S 82 W 10.00	
N 25 E 3.00	
N 63 E 10.00	
N 80 E 1.77	To a Y. Oak cor. tree on S. boundy. of 10 mile purchase on W. side of Lake
	Meanders of Long marshy lake West on S. boundy of 10 mile strip 19.44. to Long lake set post. comp. - W. Oak 12 N 2 E 90 - W. Oak 12 S 23 W 32, Begin at post on S. boundy, Thence along S. side of lake, In sec. 33
N 71 E 44.00	
N 79 E 22.46	
N 81 E 1.17	To meand. post in line between sec. 33 & 34 -

T. 34 N. R. 7 W. 2nd New. Ind. a

Course to L. S81 E 14.93 N68 E 21.90 N66 E 25.00 N43 E 11.00 N72 E 6.00 N64 E 8.00 N68 E 3.20	Meanders of Longlake Cont. In Sec. 34 To post in line betw ⁿ Secs. 34 & 35
N69 E 19.00 N79½ E 2.54	In Sec. 35 To meand ^r post on N. boundy, & S. boundy, of 10 mile purchase
S60 W 25.00 S45 W 12.00 S81 W 13.04	N. side. From post on S. boundy, of 10 mile strip Thence In Sec. 34 To post in line betw ⁿ Secs. 33 & 34
S80 W 45.00 S70 W 20.00 S56 W 19.50	In Sec. 33 To line betw ⁿ Secs. 32 & 33
West 8.00 S40 W 10.32	In Sec. 32 To meand ^r post in S. boundy,
N9½ E 11.30 N20 E 15.00 N55 E 10.00 N50 E 15.00 N57½ E 30.00	Meanders of Calumie River (omitted in proper place), Right bank up stream. { Omitted in proper place. } See page 58. To meand ^r post on N. boundy,

T. 37 N. R. 7 W. 2nd Mer. Ind. 63

Course C. L.	Meanders of Calumie River (omitted in proper place) Left bank. Down stream,
S55W 20.00	In Sec. 36
S57W 15.00	{ omitted in proper place } See page 58.
S52W 21.00	
S15W 20.00	
S16 5.25	To S. boundy. of Township,

The fractional Township 37 North Range 7 West 2nd Meridian in the state of Indiana, was surveyed by me in the year 1834. & I certify that the foregoing are true and original field notes of said survey and subdivision. Executed as aforesaid,
Certified this - day of - 1834.
Andrew Runnside. Dep. Sur.

I certify that the foregoing transcript of field notes of Township 37 North of Range 7 West 2nd Mer. in the state of Indiana, has been compared with the original in this office & found to be correct.

William Johnston
Sur. Genl.

Surveyor General's office,
Cincinnati. Sept. 30th 1842. 3